



While the choice in final appearance is extremely varied with our A1 Aluminium systems, there are three main methods of finishing:

ANODISED - PRE-COAT - PPC (Polyester Powder Coating)





ANODISED MATERIAL FINISH

Anodising is an electrolytic passivation process used to increase the thickness of the natural oxide layer on the surface of metal parts.

Anodising enhances the natural qualities of aluminium. It permits a strong contemporary finish with incomparable corrosion and abrasion resistance. Unique amongst surface treatments, such as coatings, anodising is totally integrated with the metallic substrate - it is not simply a film applied to cover the surface. The result is a repeatedly recyclable material with remarkable performance characteristics.

Benifits of an Anodised Finish

- Natural metallic sheen and aspect
- Excellent corrosion resistance
- Over 30 years of proven long term on-site performance
- No risk of adhesion failure of the anodic film
- No risk of fading or chalking
- No risk of filiform corrosion
- Preservation of the original surface texture and design
- Optimal surface coverage
- · Anodic film is totally impermeable
- Exceptional abrasion resistance
- · On-site quality control possible without creating surface damage in testing
- 100% recyclable
- · In line with latest environmental standards

GENIUS ANODISED - SAMPLE COLOUR CHART







PRE-COAT

MATERIAL FINISH

Available with our extensive range of innovative A1 non-combustible systems, Genius pre-coat boasts all the existing benefits of a Genius system whilst adding a wider range of unique finishes and colours including RAL colours, stone, wood and metallic effects. Our 2mm & 3mm Aluminium facade panels are PVDF coated providing superior quality, greater flexibility of design and simplified maintenance.

Benifits of a Genius Pre-Coat Finish

- A1 non combustible
- Available with the majority Genius Systems Prime, Cassette Range, Flat, Bespoke
- Exceptionally simple system to design detail and install
- Available in a wider range of unique finishes and colours including RAL colours, stone, wood and metallic effects
- Simple maintenance compared to PPC coatings
- Excellent durability performance
- · 20 year warranty on finish
- Fully recyclable

GENIUS PRE-COAT - SAMPLE COLOUR CHART - SOLID RANGE



PLEASE NOTE: THE ACCURACY OF THE ABOVE COLOURS ARE SUBJECT TO YOUR SCREEN OR PRINT CALIBRATION. THIS CHART IS FOR GUIDE PURPOSES TO GIVE AN EXAMPLE OF THE RANGE. PLEASE REQUEST A PHYSICAL SAMPLE FOR EXACT COLOURS.

GENIUS PRE-COAT - SAMPLE COLOUR CHART - SOLID RANGE



COLOUR MATCHING AVAILABLE ON REQUEST

GENIUS PRE-COAT - SAMPLE COLOUR CHART - SPARKLING & CHROMATIC | BRUSHED RANGE

SPARKLING & CHROMATIC RANGE



BRUSHED RANGE



GENIUS PRE-COAT - SAMPLE COLOUR CHART - METAL & METALLIC



GENIUS PRE-COAT - SAMPLE COLOUR CHART - STONE - WOODGRAIN - CONCRETE

STONE



STONE1 - A1001



STONE2 - A1002



STONE3 - A1003



STONE4 - A1004



STONE5 - A1005



STONE6 - A1006

WOODGRAIN



WOOD1 - A2001



WOOD2 - A2002



WOOD3 - A2003



WOOD4 - A2004



WOOD5 - A2005



WOOD6 - A2006

CONCRETE



CON1 - A6001



CON2 - A6002



CON3 - A6003



CON4 - A6004



CON5 - A6005



CON6 - A6006



PPC (Polyester Powder Coating)

MATERIAL FINISH

PPC Coatings are applied to our systems after fabrication. PPC Coatings are resistant to a wide range of chemicals as well as U.V. rays, making PPC suitable for outdoor exposed applications. The high flexural strength of PPC coatings makes them suitable for use on aluminium structures. PPC Coatings provide outstanding impact and abrasion resistance for protection against heavy equipment and abrasive traffic. With a coefficient of thermal expansion similar to concrete, PPC is resistant to cracking and delamination caused by thermal shock.

PPC Coatings are 100% solids, without solvent entrapment after cure, which meet or are well below the maximum VOC emissions requirements. PPC Coatings have zero linear shrinkage.

A cost effective solution, PPC coating offers an extensive range of colours and textures with laboratory colour matching available.

Benifits of a PPC Finish

- High quality uniform finish
- Extremely durable
- Available in matt, satin and gloss finish
- · Fine textured option (more durable)
- Client can replicate a range of different materials such as Corten, Terracotta and Stone
- Extensive range of colours, textures and finishes available
- Laboratory colour matching available using our PPC finishes

GENIUS PPC - SAMPLE COLOUR CHART - RAL



PLEASE NOTE: THE ACCURACY OF THE ABOVE COLOURS ARE SUBJECT TO YOUR SCREEN OR PRINT CALIBRATION. THIS CHART IS FOR GUIDE PURPOSES TO GIVE AN EXAMPLE OF THE RANGE. PLEASE REQUEST A PHYSICAL SAMPLE FOR EXACT COLOURS.

GENIUS PPC - SAMPLE COLOUR CHART - RAL





